SRFD Exposure Mitigation Checklist

Completion Status	Procedure Step	
At Patient Home		
	Don PPE	Tier 1: Tier 2:
	Tier 1 for basic medical responses	Gloves Tier 1 PPE and
	Tier 2 for suspected COVID-19 patient or if invasive procedure to be done	 Eye protection N95 mask Response pants Disposable gown
	Provide mask to patient	
	Move patient to open air area if ambulatory	 6-12 foot distance Bring only necessary equipment Minimize number of personnel for suspected COVID-19 cases
Loading/Transporting Patient		
	Wrap patient in sheet or blanket, with one arm out for vitals	Limit contact with gurney
	Drive	r: doff PPE before driving
After the Call		
	Disinfect equipment Cabin: Cab: Grab bars Radio Counter tops Steering wheel Seat belts Keys Gurney Gear shift Chords Door handles Screens Seatbelts Keyboards Seats Handles Personal items: Cell phone Glasses/sunglasses	 Use EPA-registered surface disinfectants Observe proper contact time (time for surface to remain wet before drying) Use disposable towels if using spray
	Wash hands (at least 20 seconds)	
	Remove boots before entering the station	
	Use hand sanitizer (enough to cover front and back of hands)	
	If patient was suspected to be highly infectious, document the call with department SOG	